

FPICN - Jax
Case Summary
07/01/2004 to 06/30/2005
County - SAINT JOHN
HCF - (all)

Printed 06/09/2006 03:17:00 PM

| | | | | | |
|--|-----------|--------------|---------------------------------------|-----------|-------|
| Total Open/Closed Calls | 20 | | Subtotal Educational Materials | -2 | |
| Total Closed Calls for Report Tabulations | 20 | | Exposures With Followup Calls | | |
| | | | Human Exp with Followup Calls | 10 | 55.56 |
| | # | % | | | |
| Exposures | | | | | |
| Animal | 0 | 0.00 | | | |
| Human | 18 | 90.00 | | | |
| Subtotal Exposures | 18 | 90.00 | | | |
| Information Requests | | | | | |
| Caller Referral | 1 | 5.00 | | | |
| Other | 1 | 5.00 | | | |
| Subtotal Information Requests | 2 | 10.00 | | | |
| Referrals | | | | | |
| Referrals | 0 | 0.00 | | | |
| Followup Calls | | | | | |
| Followup Calls | 27 | | | | |
| Education Programs | | | | | |
| Subtotal Education Programs | 0 | | | | |
| Education Materials | | | | | |
| DirectRequest | -1 | | | | |
| Distributed At Programs | -1 | | | | |

Florida Poison Information Center Network

Age Distribution - Human Exposures

07/01/2004 to 06/30/2005

County - SAINT JOHN

HCF - (all)

Printed 06/09/2006 03:17:01 PM

| | Under 1 yr | | 1-5 yrs | | 6-12 yrs | | 13-19 yrs | | Adult | | Unknown | | Total | |
|--|------------|------|---------|------|----------|------|-----------|------|-------|------|---------|------|-------|------|
| | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the |
| <u>Total Human Exposures</u> (THE) | 1 | | 5 | | 1 | | 1 | | 10 | | 0 | | 18 | |

| <u>Caller Site</u> | Under 1 yr | | 1-5 yrs | | 6-12 yrs | | 13-19 yrs | | Adult | | Unknown | | Total | |
|-----------------------------|------------|------------|----------|-------------|----------|------------|-----------|------------|-----------|-------------|----------|------------|-----------|--------------|
| | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the |
| Health Care Facility (code) | 0 | 0.0 | 1 | 5.6 | 1 | 5.6 | 1 | 5.6 | 3 | 16.7 | 0 | 0.0 | 6 | 33.3 |
| Other (code) | 1 | 5.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.6 |
| Other Residence | 0 | 0.0 | 2 | 11.1 | 0 | 0.0 | 0 | 0.0 | 3 | 16.7 | 0 | 0.0 | 5 | 27.8 |
| Own Residence | 0 | 0.0 | 2 | 11.1 | 0 | 0.0 | 0 | 0.0 | 3 | 16.7 | 0 | 0.0 | 5 | 27.8 |
| Workplace | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.6 | 0 | 0.0 | 1 | 5.6 |
| Totals | 1 | 5.6 | 5 | 27.8 | 1 | 5.6 | 1 | 5.6 | 10 | 55.6 | 0 | 0.0 | 18 | 100.0 |

| <u>Route of Exposure *</u> | Under 1 yr | | 1-5 yrs | | 6-12 yrs | | 13-19 yrs | | Adult | | Unknown | | Total | |
|-----------------------------------|------------|------------|----------|-------------|----------|------------|-----------|------------|-----------|-------------|----------|------------|-----------|--------------|
| | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the |
| Bite/Sting | 1 | 4.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 4.8 |
| Dermal | 1 | 4.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 9.5 | 0 | 0.0 | 3 | 14.3 |
| Ingestion | 0 | 0.0 | 5 | 23.8 | 1 | 4.8 | 1 | 4.8 | 9 | 42.9 | 0 | 0.0 | 16 | 76.2 |
| Inhalation/Nasal | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 4.8 | 0 | 0.0 | 1 | 4.8 |
| Totals | 2 | 9.5 | 5 | 23.8 | 1 | 4.8 | 1 | 4.8 | 12 | 57.1 | 0 | 0.0 | 21 | 100.0 |

* This section shows substance level information

| | Under 1 yr | | 1-5 yrs | | 6-12 yrs | | 13-19 yrs | | Adult | | Unknown | | Total | |
|----------------------------------|------------|------------|----------|-------------|----------|------------|-----------|------------|-----------|-------------|----------|------------|-----------|--------------|
| <u>ExposureReason</u> | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the |
| Intentional -- Suspected Suicide | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.6 | 1 | 5.6 | 0 | 0.0 | 2 | 11.1 |
| Unintentional -- Bite/Sting | 1 | 5.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.6 |
| Unintentional -- Environmental | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.6 | 0 | 0.0 | 1 | 5.6 |
| Unintentional -- Food Poisoning | 0 | 0.0 | 1 | 5.6 | 0 | 0.0 | 0 | 0.0 | 1 | 5.6 | 0 | 0.0 | 2 | 11.1 |
| Unintentional -- General | 0 | 0.0 | 4 | 22.2 | 1 | 5.6 | 0 | 0.0 | 4 | 22.2 | 0 | 0.0 | 9 | 50.0 |
| Unintentional -- Misuse | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 11.1 | 0 | 0.0 | 2 | 11.1 |
| Unintentional -- Occupational | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.6 | 0 | 0.0 | 1 | 5.6 |
| Totals | 1 | 5.6 | 5 | 27.8 | 1 | 5.6 | 1 | 5.6 | 10 | 55.6 | 0 | 0.0 | 18 | 100.0 |

| | Under 1 yr | | 1-5 yrs | | 6-12 yrs | | 13-19 yrs | | Adult | | Unknown | | Total | |
|------------------------|------------|------------|----------|-------------|----------|------------|-----------|------------|-----------|-------------|----------|------------|-----------|--------------|
| <u>Exposure Type *</u> | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the |
| Acute | 1 | 5.0 | 5 | 25.0 | 1 | 5.0 | 1 | 5.0 | 11 | 55.0 | 0 | 0.0 | 19 | 95.0 |
| Chronic | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 5.0 | 0 | 0.0 | 1 | 5.0 |
| Totals | 1 | 5.0 | 5 | 25.0 | 1 | 5.0 | 1 | 5.0 | 12 | 60.0 | 0 | 0.0 | 20 | 100.0 |

* This section shows substance level information

| | Under 1 yr | | 1-5 yrs | | 6-12 yrs | | 13-19 yrs | | Adult | | Unknown | | Total | |
|---------------|------------|------------|----------|-------------|----------|------------|-----------|------------|-----------|-------------|----------|------------|-----------|--------------|
| <u>Gender</u> | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the |
| Female | 1 | 5.6 | 2 | 11.1 | 1 | 5.6 | 1 | 5.6 | 4 | 22.2 | 0 | 0.0 | 9 | 50.0 |
| Male | 0 | 0.0 | 3 | 16.7 | 0 | 0.0 | 0 | 0.0 | 6 | 33.3 | 0 | 0.0 | 9 | 50.0 |
| Totals | 1 | 5.6 | 5 | 27.8 | 1 | 5.6 | 1 | 5.6 | 10 | 55.6 | 0 | 0.0 | 18 | 100.0 |

| | Under 1 yr | | 1-5 yrs | | 6-12 yrs | | 13-19 yrs | | Adult | | Unknown | | Total | |
|-----------------------|------------|------------|----------|-------------|----------|------------|-----------|------------|-----------|-------------|----------|------------|-----------|------------|
| <u>Treatment Site</u> | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the |
| At HCF | 0 | 0.0 | 1 | 5.6 | 0 | 0.0 | 1 | 5.6 | 3 | 16.7 | 0 | 0.0 | 5 | 27.8 |
| Managed on Site * | 1 | 7.7 | 4 | 30.8 | 1 | 7.7 | 0 | 0.0 | 3 | 23.1 | 0 | 0.0 | 9 | 69.2 |
| Referred to HCF | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 16.7 | 0 | 0.0 | 3 | 16.7 |
| Unknown * | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 7.7 | 0 | 0.0 | 1 | 7.7 |
| Totals | 1 | 5.6 | 5 | 27.8 | 1 | 5.6 | 1 | 5.6 | 10 | 55.6 | 0 | 0.0 | 18 | N/A |

* % of Non-HCF Call Sites

N/A = Not Applicable

| Outcome | Under 1 yr | | 1-5 yrs | | 6-12 yrs | | 13-19 yrs | | Adult | | Unknown | | Total | |
|------------------------------|-------------------|-------------|----------------|-------------|-----------------|-------------|------------------|-------------|--------------|-------------|----------------|-------------|--------------|--------------|
| | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the | # | %the |
| Known outcome - minor effect | 0 | 0.0 | 1 | 5.6 | 0 | 0.0 | 1 | 5.6 | 3 | 16.7 | 0 | 0.0 | 5 | 27.8 |
| Not followed - min effects | 1 | 5.6 | 4 | 22.2 | 1 | 5.6 | 0 | 0.0 | 2 | 11.1 | 0 | 0.0 | 8 | 44.4 |
| Unable to follow | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 27.8 | 0 | 0.0 | 5 | 27.8 |
| Totals | 1 | 5.6 | 5 | 27.8 | 1 | 5.6 | 1 | 5.6 | 10 | 55.6 | 0 | 0.0 | 18 | 100.0 |

FPICN - Jax
Exposure Categories - Sorted Alphabetically
07/01/2004 to 06/30/2005
County - SAINT JOHN
HCF - (all)

Printed 06/09/2006 03:17:02 PM

| | |
|--|---|
| ACETAMINOPHEN WITH OTHER DRUG-ADULT FO | 1 |
| ACETAMINOPHEN: ADULT FORMULATION | 1 |
| BLEACH: HYPOCHLORITE (LIQUID & DRY) | 1 |
| CENTIPEDE/MILLIPEDE BITE/ENVENOMATION | 1 |
| DIESEL FUEL | 1 |
| DIPHENHYDRAMINE-ALONE (UNKNOWN IF OTC | 2 |
| ETHANOL (BEVERAGE) | 1 |
| HAIR RINSE/CONDITIONER/RELAXER | 1 |
| HYDROFLUORIC ACID | 1 |
| ORAL CONTRACEPTIVE | 2 |
| OTHER INSECTICIDE | 1 |
| OTHER NON-DRUG SUBSTANCE | 1 |
| PLANT: DERMATITIS (NON-OXALATE) | 4 |
| PLANT: OTHER TOXIC | 1 |
| PYRETHROID | 1 |
| QUESTION ABOUT FOOD PRODUCT, ADDITIVE OR | 4 |

FPICN - Jax
Exposure Categories - Sorted Numerically
07/01/2004 to 06/30/2005
County - SAINT JOHN
HCF - (all)

Printed 06/09/2006 03:17:02 PM

| | |
|--|---|
| PLANT: DERMATITIS (NON-OXALATE) | 4 |
| QUESTION ABOUT FOOD PRODUCT, ADDITIVE OR | 4 |
| DIPHENHYDRAMINE-ALONE (UNKNOWN IF OTC | 2 |
| ORAL CONTRACEPTIVE | 2 |
| ACETAMINOPHEN WITH OTHER DRUG-ADULT FO | 1 |
| ACETAMINOPHEN: ADULT FORMULATION | 1 |
| BLEACH: HYPOCHLORITE (LIQUID & DRY) | 1 |
| CENTIPEDE/MILLIPEDE BITE/ENVENOMATION | 1 |
| DIESEL FUEL | 1 |
| ETHANOL (BEVERAGE) | 1 |
| HAIR RINSE/CONDITIONER/RELAXER | 1 |
| HYDROFLUORIC ACID | 1 |
| OTHER INSECTICIDE | 1 |
| OTHER NON-DRUG SUBSTANCE | 1 |
| PLANT: OTHER TOXIC | 1 |
| PYRETHROID | 1 |

Exposure Major Categories - Sorted Alphabetically

| | |
|---|---|
| Acetaminophen in combination with: | 1 |
| Acetaminophen only | 1 |
| Acids | 1 |
| Alcohols | 1 |
| Antihistamines | 2 |
| Bleaches | 1 |
| Food products/food poisoning | 4 |
| Hair care products | 1 |
| Hormones and hormone antagonists | 2 |
| Hydrocarbons | 1 |
| Insecticides (includes insect growth regulators, molluscici | 2 |
| Insects | 1 |
| Other/unknown nondrug substances | 1 |
| Plants | 5 |

Exposure Major Categories - Sorted Numerically

| | |
|---|---|
| Plants | 5 |
| Food products/food poisoning | 4 |
| Antihistamines | 2 |
| Hormones and hormone antagonists | 2 |
| Insecticides (includes insect growth regulators, molluscici | 2 |
| Acetaminophen in combination with: | 1 |
| Acetaminophen only | 1 |
| Acids | 1 |
| Alcohols | 1 |
| Bleaches | 1 |
| Hair care products | 1 |
| Hydrocarbons | 1 |
| Insects | 1 |
| Other/unknown nondrug substances | 1 |

Exposure Categories: Summary

Acetaminophen in combination with: - 2

ACETAMINOPHEN WITH OTHER DRUG-ADULT FORMULATION - 2

Acetaminophen only - 1

ACETAMINOPHEN: ADULT FORMULATION - 1

Acids - 1

HYDROFLUORIC ACID - 1

Alcohols - 1

ETHANOL (BEVERAGE) - 1

Antihistamines - 2

DIPHENHYDRAMINE-ALONE (UNKNOWN IF OTC OR RX) - 2

Bleaches - 1

BLEACH: HYPOCHLORITE (LIQUID & DRY) - 1

Food products/food poisoning - 4

QUESTION ABOUT FOOD PRODUCT, ADDITIVE OR SUPPLEMENT - 4

Hair care products - 1

HAIR RINSE/CONDITIONER/RELAXER - 1

Hormones and hormone antagonists - 2

ORAL CONTRACEPTIVE - 2

Hydrocarbons - 1

DIESEL FUEL - 1

Insecticides (includes insect growth regulators, molluscicides, nematocides) - 2

OTHER INSECTICIDE - 1

PYRETHROID - 1

Insects - 1

CENTIPEDE/MILLIPEDE BITE/ENVENOMATION - 1

Other/unknown nondrug substances - 1

OTHER NON-DRUG SUBSTANCE - 1

Plants - 4

PLANT: DERMATITIS (NON-OXALATE) - 4

FPICN - Jax
Info Request Categories - Sorted Alphabetically
07/01/2004 to 06/30/2005
County - SAINT JOHN

Printed 06/09/2006 03:17:02 PM

FPICN - Jax
Info Request Categories - Sorted Numerically
07/01/2004 to 06/30/2005
County - SAINT JOHN
HCF - (all)

Printed 06/09/2006 03:17:02 PM

Info Request Major Categories - Sorted Alphabetically

Info Request Major Categories - Sorted Numerically

Info Request Categories: Summary